

### **SUPPLEMENTAL EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with J. Scott Wickhem (Reg. No. 41,376) on 1/15/2010.

The application has been amended as follows:

**Claim 19**, Lines 1-2, "including a layer including MRI enhancement material, the layer having" has been changed to --wherein the layer including the MRI enhancement material has--.

**Claim 61**, Line 1, "59" has been changed to --54--.

The above amendments are provided in addition to the Examiner's Amendments in the 03/09/2010 Notice of allowance. The present amendments address typographical errors in the 03/09/2010 Notice of Allowance.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ELLSWORTH WEATHERBY whose telephone number is (571) 272-2248. The examiner can normally be reached on M-F 8:30 a.m. - 5:00 p.m..

Art Unit: 3768

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/EW/

/Long V Le/

Supervisory Patent Examiner, Art Unit 3768